ELSEVIER

Carbohydrate Research 296 (1996) C7–C8

CARBOHYDRATE RESEARCH

Author index

Ahn, Y.M. 215

Bacic, A. 237
Barrientos, L.G. 39
Bhagwat, A.A. 23
Bundle, D.R. 149

Cai, M.S. 229
Castro-Palomino, J.C. 135
Chiovitti, A. 237
Craik, D.J. 237

Das, S.K. 275
Defaye, J. 55
Desai, T. 97
Ding, P.Y. 229
Dullenkopf, W. 135

Ekiel, I. 55
Eneyskaya, E.V. 261

Furneaux, R.H. 285

Gamian, A. 55
Garcia-Jaldon, C. 249
Gigg, J. 97
Gigg, R. 97
Gray, G.R. 215
Gray, J.S.S. 183

Hemmingson, J.A. 285
Hindsgaul, O. 203
Hirayama, F. 69
Hotchkiss, A. 23

Ibatyllin, F.M. 261

Jánossy, L. 279
Jones, C. 83

Kachurin, A.M. 261
Keister, D.L. 23
Kraft, G.T. 237
Krishnakumar, R.V. C1

Lemercinier, X. 83
Liao, M.-L. 237
Liao, W. 171
Lu, D. 171
Lu, J. 1

Manzoni, L. 135
Martín-Zamora, E. 97
Montgomery, R. 183
Mordarska, H. 55
Munro, S.L.A. 237
Murthy, P.P.N. 39

Natarajan, S. C1
Neustroev, K.N. 261

Osman, S.F. 23

Palcic, M.M. 203
Pfeffer, P.E. 23
Probert, M.A. 149

Roy, N. 275

Saenger, W. 69
Savel'ev, A.N. 261
Scaman, C.H. 203
Schmidt, R.R. 135
Srivastava, O.P. 203
Steiner, T. 69
Szponar, B. 55
Szurmai, Z. 279

Ulrich, J. 55

Valentine, K.M. 23
Van Halbeek, H. 1
Vignon, M.R. 249

Wong, H. 285

Yang, B.Y. 183

Zhang, J. 149
Zhu, X.X. 229

ELSEVIER

Carbohydrate Research 296 (1996) C9–C12

CARBOHYDRATE RESEARCH

Subject index

Acetone
Crystal structures of hexakis-(2,6-di-*O*-methyl)-cyclomaltohexaose (dimethyl-α-cyclodextrin) crystallized from acetone, and crystallized from hot water 69

O-Acetylation
Full ^{1}H NMR assignment and detailed *O*-acetylation patterns of capsular polysaccharides from *Neisseria meningitidis* used in vaccine production 83

Actinomycetes
Structural studies of the major glycolipid from *Saccharopolyspora* genus 55

Agar biosynthesis
In vivo conversion of 6-*O*-sulfo-L-galactopyranosyl residues into 3,6-anhydro-L-galactopyranosyl residues in *Gracilaria chilensis* Bird, McLachlan *et* Oliveira 285

Allyl ethers
The preparation of racemic and enantiomerically pure *myo*-inositol derivatives as intermediates for the synthesis of phosphatidylinositol 3-, 3,4-bis-, and 3,4,5-tris-phosphates and for the synthesis of analogues of 1D-*myo*-inositol 1,3,4,5-tetrakisphosphate 97

Anomerization
Mechanism of anomerization of cyclohexyl 2-deoxy-3,4,6-tri-*O*-methyl-2-(*N*-methylacetamido)-α- and β-D-hexopyranosides under reductive-cleavage conditions 215

Baker's yeast
Synthesis and semisynthesis of α-D-mannopyranosyl-(1 → 2)-α-D-mannopyranose octaacetate 279

Bast fibre
Structural features of the pectic polysaccharides isolated from retted hemp bast fibres 249

Boron trifluoride diethyl etherate
An improved method for the preparation of some ethyl 1-thioglycosides 275

Capsular polysaccharide
The structure of stewartan, a capsular polysaccharide produced by *Erwinia stewartii* strain DC283 183

Carrageenan, 4′,6′-disulfated, κ-, and ω-
Sulfated galactans from Australian specimens of the red alga *Phacelocarpus peperocarpos* (Gigartinales, Rhodophyta) 237

Chemoselective glycosylation
Synthesis of tetrasaccharides as possible metastatic inhibitors 229

Chiral *myo*-inositol derivatives
The preparation of racemic and enantiomerically pure *myo*-inositol derivatives as intermediates for the synthesis of phosphatidylinositol 3-, 3,4-bis-, and 3,4,5-tris-phosphates and for the synthesis of analogues of 1D-*myo*-inositol 1,3,4,5-tetrakisphosphate 97

Conformational analysis
Conformational studies of *myo*-inositol phosphates 39

Corn
The structure of stewartan, a capsular polysaccharide produced by *Erwinia stewartii* strain DC283 183

Crystal structure
Crystal structures of hexakis-(2,6-di-*O*-methyl)-cyclomaltohexaose (dimethyl-α-cyclodextrin) crystallized from acetone, and crystallized from hot water 69

Cyclic decasaccharide
Cyclolaminarinose. A new biologically active β-(1 → 3) cyclic glucan 23

Cyclolaminarinose
Cyclolaminarinose. A new biologically active β-(1 → 3) cyclic glucan 23

Deprotection
N-Trichloroethoxycarbonyl-glucosamine derivatives as glycosyl donors 135

Dimethyl-α-cyclodextrin
Crystal structures of hexakis-(2,6-di-*O*-methyl)-cyclomaltohexaose (dimethyl-α-cyclodextrin) crystallized from acetone, and crystallized from hot water 69

Erwinia stewartii
The structure of stewartan, a capsular polysaccharide produced by *Erwinia stewartii* strain DC283 183
ethyl 1-thioglycosides
An improved method for the preparation of some ethyl 1-thioglycosides 275

Farmer's lung disease
Structural studies of the major glycolipid from *Saccharopolyspora* genus 55
Fluorescence-labeled oligosaccharide
Synthesis of α-D-Glc*p*-(1 → 2)-α-D-Glc*p*-(1 → 3)-α-D-Glc*p*-O-$(CH_2)_8COOCH_3$ for use in the assay of α-glucosidase I activity 203

Galactans, sulfated
Sulfated galactans from Australian specimens of the red alga *Phacelocarpus peperocarpos* (Gigartinales, Rhodophyta) 237
Galactopyranosylamines
Enzymatic properties of α-D-galactosidase from *Trichoderma reesei* 261
α-D-Galactosidase
Enzymatic properties of α-D-galactosidase from *Trichoderma reesei* 261
Gigartinales
Sulfated galactans from Australian specimens of the red alga *Phacelocarpus peperocarpos* (Gigartinales, Rhodophyta) 237
Glucan
Cyclolaminarinose. A new biologically active β-(1 → 3) cyclic glucan 23
α-Glucosidase I
Synthesis of α-D-Glc*p*-(1 → 2)-α-D-Glc*p*-(1 → 3)-α-D-Glc*p*-O-$(CH_2)_8COOCH_3$ for use in the assay of α-glucosidase I activity 203
Glycan
Synthesis of α- and β-linked tyvelose epitopes of the *Trichinella spiralis* glycan: 2-Acetamido-2-deoxy-3-*O*-(3,6-dideoxy-D-*arabino*-hexopyranosyl)-β-D-galactopyranosides 149
Glycolipid
Structural studies of the major glycolipid from *Saccharopolyspora* genus 55
N-Glycoprotein
Synthesis and semisynthesis of α-D-mannopyranosyl-(1 → 2)-α-D-mannopyranose octaacetate 279

Glycosidase assay
Synthesis of α-D-Glc*p*-(1 → 2)-α-D-Glc*p*-(1 → 3)-α-D-Glc*p*-O-$(CH_2)_8COOCH_3$ for use in the assay of α-glucosidase I activity 203
Glycosidation
Synthesis of α- and β-linked tyvelose epitopes of the *Trichinella spiralis* glycan: 2-Acetamido-2-deoxy-3-*O*-(3,6-dideoxy-D-*arabino*-hexopyranosyl)-β-D-galactopyranosides 149
Glycosylation
Synthesis of a hexasaccharide acceptor corresponding to the reducing terminus of mycobacterial 3-*O*-methylmannose polysaccharide (MMP) 171
Glycosyl trichloroacetimidates
N-Trichloroethoxycarbonyl-glucosamine derivatives as glycosyl donors 135
Gracilaria chilensis
In vivo conversion of 6-*O*-sulfo-L-galactopyranosyl residues into 3,6-anhydro-L-galactopyranosyl residues in *Gracilaria chilensis* Bird, McLachlan *et* Oliveira 285

^1H and ^{13}C NMR spectroscopy
Structural features of the pectic polysaccharides isolated from retted hemp bast fibres 249
Hemp (*Cannabis sativa*)
Structural features of the pectic polysaccharides isolated from retted hemp bast fibres 249
Human serum transferrin
Complete ^1H and ^{13}C resonance assignments of a 21-amino acid glycopeptide prepared from human serum transferrin 1
Hydrogen bonding
Crystal structures of hexakis-(2,6-di-*O*-methyl)-cyclomaltohexaose (dimethyl-α-cyclodextrin) crystallized from acetone, and crystallized from hot water 69

myo-Inositol phosphates
Conformational studies of *myo*-inositol phosphates 39
1D-*myo*-Inositol 1,3,4,5-tetrakisphosphate analogues
The preparation of racemic and enantiomerically pure *myo*-inositol derivatives as intermediates for the synthesis of phosphatidylinositol 3-, 3,4-bis-, and 3,4,5-tris-phosphates and for the synthesis of analogues of 1D-*myo*-inositol 1,3,4,5-tetrakisphosphate 97

Kinetic scheme
Enzymatic properties of α-D-galactosidase from *Trichoderma reesei* 261

Mannobiose, synthetic and semisynthetic
Synthesis and semisynthesis of α-D-mannopyranosyl-(1 → 2)-α-D-mannopyranose octaacetate 279
Meningococcal polysaccharides
Full ^{1}H NMR assignment and detailed *O*-acetylation patterns of capsular polysaccharides from *Neisseria meningitidis* used in vaccine production 83
Metastatic inhibitor
Synthesis of tetrasaccharides as possible metastatic inhibitors 229
p-Methoxybenzyl ethers
The preparation of racemic and enantiomerically pure *myo*-inositol derivatives as intermediates for the synthesis of phosphatidylinositol 3-, 3,4-bis-, and 3,4,5-tris-phosphates and for the synthesis of analogues of 1D-*myo*-inositol 1,3,4,5-tetrakisphosphate 97
3-*O*-Methylmannose polysaccharide (MMP)
Synthesis of a hexasaccharide acceptor corresponding to the reducing terminus of mycobacterial 3-*O*-methylmannose polysaccharide (MMP) 171
Microheterogeneity
Complete ^{1}H and ^{13}C resonance assignments of a 21-amino acid glycopeptide prepared from human serum transferrin 1
Mycobacterium
Synthesis of a hexasaccharide acceptor corresponding to the reducing terminus of mycobacterial 3-*O*-methylmannose polysaccharide (MMP) 171

N-linked diantennary oligosaccharide
Complete ^{1}H and ^{13}C resonance assignments of a 21-amino acid glycopeptide prepared from human serum transferrin 1
NMR spectroscopy
Full ^{1}H NMR assignment and detailed *O*-acetylation patterns of capsular polysaccharides from *Neisseria meningitidis* used in vaccine production 83
Nuclear magnetic resonance
Complete ^{1}H and ^{13}C resonance assignments of a 21-amino acid glycopeptide prepared from human serum transferrin 1
Nuclear Overhauser effect
Complete ^{1}H and ^{13}C resonance assignments of a 21-amino acid glycopeptide prepared from human serum transferrin 1

Oligomannose type
Synthesis and semisynthesis of α-D-mannopyranosyl-(1 → 2)-α-D-mannopyranose octaacetate 279
Oligosaccharide
Synthesis of α- and β-linked tyvelose epitopes of the *Trichinella spiralis* glycan: 2-Acetamido-2-deoxy-3-*O*-(3,6-dideoxy-D-*arabino*-hexopyranosyl)-β-D-galactopyranosides 149
Oligosaccharide synthesis
N-Trichloroethoxycarbonyl-glucosamine derivatives as glycosyl donors 135

Parasite
Synthesis of α- and β-linked tyvelose epitopes of the *Trichinella spiralis* glycan: 2-Acetamido-2-deoxy-3-*O*-(3,6-dideoxy-D-*arabino*-hexopyranosyl)-β-D-galactopyranosides 149
Partial acetolysis
Synthesis and semisynthesis of α-D-mannopyranosyl-(1 → 2)-α-D-mannopyranose octaacetate 279
Pectins
Structural features of the pectic polysaccharides isolated from retted hemp bast fibres 249
Phosphatidylinositol 3-, 3,4-bis-, and 3,4,5-trisphosphates
The preparation of racemic and enantiomerically pure *myo*-inositol derivatives as intermediates for the synthesis of phosphatidylinositol 3-, 3,4-bis-, and 3,4,5-tris-phosphates and for the synthesis of analogues of 1D-*myo*-inositol 1,3,4,5-tetrakisphosphate 97
Polysaccharides, algal
Sulfated galactans from Australian specimens of the red alga *Phacelocarpus peperocarpos* (Gigartinales, Rhodophyta) 237
Precursor conversion
In vivo conversion of 6-*O*-sulfo-L-galactopyranosyl residues into 3,6-anhydro-L-galactopyranosyl residues in *Gracilaria chilensis* Bird, McLachlan *et* Oliveira 285

Reductive cleavage
Mechanism of anomerization of cyclohexyl 2-deoxy-3,4,6-tri-*O*-methyl-2-(*N*-methylacetamido)-α- and β-D-hexopyranosides under reductive-cleavage conditions 215
Resonance assignment
Complete ^{1}H and ^{13}C resonance assignments of a 21-amino acid glycopeptide prepared from human serum transferrin 1
Rhamnogalacturonan I
Structural features of the pectic polysaccharides isolated from retted hemp bast fibres 249
Rhizobium meliloti
Cyclolaminarinose. A new biologically active β-(1 → 3) cyclic glucan 23
Rhodophyta
Sulfated galactans from Australian specimens

of the red alga *Phacelocarpus peperocarpos* (Gigartinales, Rhodophyta) 237

Saccharopolyspora
Structural studies of the major glycolipid from *Saccharopolyspora* genus 55
Stewarts wilt
The structure of stewartan, a capsular polysaccharide produced by *Erwinia stewartii* strain DC283 183
Structure
Structural studies of the major glycolipid from *Saccharopolyspora* genus 55
Structure determination
Sulfated galactans from Australian specimens of the red alga *Phacelocarpus peperocarpos* (Gigartinales, Rhodophyta) 237
Synthesis
Synthesis of a hexasaccharide acceptor corresponding to the reducing terminus of mycobacterial 3-*O*-methylmannose polysaccharide (MMP) 171
An improved method for the preparation of some ethyl 1-thioglycosides 275

Tetramethylrhodamine
Synthesis of α-D-Glc*p*-(1 → 2)-α-D-Glc*p*-(1 → 3)-α-D-Glc*p*-O-$(CH_2)_8COOCH_3$ for use in the assay of α-glucosidase I activity 203
Tetrasaccharide
Synthesis of tetrasaccharides as possible metastatic inhibitors 229
Thioglycosides
N-Trichloroethoxycarbonyl-glucosamine derivatives as glycosyl donors 135
Tin-mediated alkylations
The preparation of racemic and enantiomerically pure *myo*-inositol derivatives as intermediates for the synthesis of phosphatidylinositol 3-, 3,4-bis-, and 3,4,5-tris-phosphates and for the synthesis of analogues of 1D-*myo*-inositol 1,3,4,5-tetrakisphosphate 97
Transglycosylation
Enzymatic properties of α-D-galactosidase from *Trichoderma reesei* 261
Trichinella spiralis
Synthesis of α- and β-linked tyvelose epitopes of the *Trichinella spiralis* glycan: 2-Acetamido-2-deoxy-3-*O*-(3,6-dideoxy-D-*arabino*-hexopyranosyl)-β-D-galactopyranosides 149
N-Trichloroethoxycarbonyl
N-Trichloroethoxycarbonyl-glucosamine derivatives as glycosyl donors 135
Trichoderma reesei
Enzymatic properties of α-D-galactosidase from *Trichoderma reesei* 261
Tyvelose
Synthesis of α- and β-linked tyvelose epitopes of the *Trichinella spiralis* glycan: 2-Acetamido-2-deoxy-3-*O*-(3,6-dideoxy-D-*arabino*-hexopyranosyl)-β-D-galactopyranosides 149